

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/766,471	01/29/2004	Takeshi Morita	2004_0135A	3718
	7590 10/03/200 I, LIND & PONACK, I	EXAMINER		
2033 K STREET N. W. SUITE 800 WASHINGTON, DC 20006-1021			WARREN, MATTHEW E	
			ART UNIT	PAPER NUMBER
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	., _ 0		2815	
			MAIL DATE	DELIVERY MODE
			10/03/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/766,471	MORITA, TAKESHI			
Office Action Summary	Examiner	Art Unit			
	Matthew E. Warren	2815			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.15 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period way reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 11 Se	eptember 2007.				
	·				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	•				
4) ⊠ Claim(s) <u>1,5,6,8-10,14,15,17,18 and 21</u> is/are µ 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1,5,6,8-10,14,15,17,18 and 21</u> is/are µ 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	vn from consideration. rejected.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the liderawing(s) be held in abeyance. Section is required if the drawing(s) is object.	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign  a) All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priority application from the International Bureau  * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachment(s)  1) Notice of References Cited (PTO-892)	4) ☐ Interview Summary	r (PTO-413)			
2) Notice of Preferences Cited (PTO-092)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate			

Art Unit: 2815

#### **DETAILED ACTION**

This Office Action is in response to the RCE and Amendment filed on September 11, 2007.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1 and 5, 6, 8, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takizawa (US 6,504,254 B2) in view of Miyako (US 6,486,565 B2).

In re claim 1, Takizawa shows (figs. 1, 2, and 4b) a semiconductor device comprising: a semiconductor substrate (10) having a pattern forming region (containing wires 20a) and a pattern non-forming region (containing dummy patterns 34); a wiring pattern (20a) formed on said pattern forming region; a plurality of dummy patterns (34) formed on said pattern non-forming region, said plurality of dummy patterns being formed within a plurality of dummy areas (30), each of the dummy areas having a same shape (hexagonal); an insulating film (40) formed on said wiring pattern and said plurality of dummy patterns); wherein the insulating film is smoothed by chemical mechanical polishing (col. 3, lines 63-67). Takizawa shows (fig. 4b) an alternate embodiment in which the each of said plurality of dummy patterns (30) has a plurality of line patterns (32 points to line segments) each of which is spaced apart from each other

Art Unit: 2815

by an area filled by the deposition of said insulating film (holes are between the segments and would be filled by the dielectric 30). Takizawa discloses that the distance between each of the plurality of line patterns is approximately less than 72 microns since the dummy patterns themselves are only between 1 and 2 microns (col. 3, lines 48-56). Takizawa shows all of the elements of the claims except each of said dummy patterns has a plurality of parallel line patterns, which are spaced apart from each other. Takizawa discloses that the shape of the pattern can be of any configuration (col. 5, lines 48-51) or that the periphery of the patterns may be discontinuous (col. 6, lines 6-10). Therefore, any configuration of the dummy pattern, according to Takizawa, may be formed. Although Takizawa does not disclose the specific plurality of parallel line segments, Miyako shows (figs. 1 and 2) a semiconductor device comprising a plurality of dummy patterns (12) having the configuration shown in figure 2. Figure 2 shows one configuration of each of the dummy patterns in which there are a plurality of parallel line segments. Therefore, it would have been obvious to one of ordinary skill in the art at time the invention was made to modify the dummy pattern of Takizawa by forming the dummy pattern having the plurality of parallel line segments as taught by Miyako to form an alternate configuration of a dummy pattern.

Takizawa discloses that the insulating film is smoothed by chemical mechanical polishing but does not specifically disclose that the insulating film is formed by chemical vapor deposition. These limitations are "product by process" limitations. A "product by process" claim limitation is directed to the product per se, no matter how actually made, In re Hirao, 190 USPQ 15 at 17(footnote 3). See also in re Brown, 173 USPQ 685: In re

Art Unit: 2815

Luck, 177 USPQ 523; In re Fessmann, 180 USPQ 324: In re Avery, 186 USPQ 116 in re Wertheim, 191 USPQ 90 (209 USPQ 254 does not deal with this issue); and In re Marosi et al, 218 USPQ 289 final product per se which must be determined in a "product by, all of" claim, and not the patentability of the process, and that an old or obvious product, whether claimed in "product by process" claims or not. Note that Applicant has the burden of proof in such cases, as the above case law makes clear. "Even though product-by- process claims are limited by and defined by the process, determination of patentability is based upon the product itself. The patentability of a product does not depend on its method of production. If the product in product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product is made by a different process." In re

In re claims 5 and 6, Takizawa shows (figs. 2 and 4c) that the dummy areas each have a square shape and are arranged in lattice form.

In re claim 8, Takizawa shows (figs. 4b or 4c) that said plurality of dummy patterns are line patterns (since each of the patterns 30 have line patterns-segments 32).

In re claim 21, Takizawa shows (figs. 4b or 4c) that the line patterns are arranged in a same direction (since the segments on each side of the apex or center of the pattern run in the same direction).

Art Unit: 2815

Claims 9, 10, 14, 15, 17, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takizawa (US 6,504,254 B2) in view of Miyako (US 6,486,565 B2).

In re claim 9, Takizawa shows (figs. 1, 2, and 4b) a semiconductor device comprising: a semiconductor substrate (10) having a pattern area (containing wires 20a) and a non-pattern area (containing dummy patterns 30); a conductive pattern (20a) formed on said pattern area of said semiconductor substrate; and a plurality of dummy patterns (34) formed on said non-pattern area of said semiconductor substrate, each of said plurality of dummy patterns having a same continuous rectangular outline (see embodiment of square shape of dummy pattern in fig. 4c) as each other and being arranged in a matrix with predetermined spacing (G10); and an insulating film (40) formed on said conductive pattern and said plurality of dummy patterns, wherein the insulating film is smoothed by chemical mechanical polishing (col. 3, lines 63-67) and wherein each of said plurality of dummy patterns has a single square-shaped opening (32) (the pattern actually has 4 single openings) so that a pattern ratio of said semiconductor device is reduced (col. 4, lines 16-23). Takizawa discloses that the width of the opening each of the plurality of line patterns is less than 72 microns since the dummy patterns themselves are only between 1 and 2 microns (col. 3, lines 48-56).

Takizawa discloses that the insulating film is smoothed by chemical mechanical polishing but does not specifically disclose that the insulating film is formed by chemical vapor deposition. These limitations are "product by process" limitations. See the explanation above for a "product by process" claim limitation.

Art Unit: 2815

In re claim 10, Takizawa shows (figs. 2 and 4c) that each of said plurality of dummy patterns has a square outline and that the opening has a square outline.

In re claim 14, Takizawa shows (figs. 1, 2, and 4b) a semiconductor device comprising: a semiconductor substrate (10) having a pattern area (containing wires 20a) and a non-pattern area (containing dummy patterns 30); a conductive pattern (20a) formed on said pattern area of said semiconductor substrate; and a plurality of dummy patterns (34) formed on said non-pattern area of said semiconductor substrate, each of said plurality of dummy patterns having a same shape as each other and being arranged in a matrix with predetermined spacing (G10); and an insulating film (40) formed on said conductive pattern and said plurality of dummy patterns, wherein the insulating film is smoothed by chemical mechanical polishing (col. 3, lines 63-67) and wherein each of said plurality of dummy patterns has an opening (32), so that a pattern ratio of said semiconductor device is reduced (col. 4, lines 16-23). Each of the dummy patterns includes an opening at the space portion, the opening having a shape of a character (the character in this case is in the shape of a triangle). Takizawa discloses that each space portion of each of the plurality of line patterns is approximately less than 72 microns since the dummy patterns themselves are only between 1 and 2 microns (col. 3, lines 48-56).

Takizawa discloses that the insulating film is smoothed by chemical mechanical polishing but does not specifically disclose that the insulating film is formed by chemical

Art Unit: 2815

vapor deposition. These limitations are "product by process" limitations. See the explanation above for a "product by process" claim limitation.

In re claim 15, Takizawa shows (figs. 2 and 4c) that each of said plurality of dummy patterns has a rectangular outline, an opening at the space portion, and that the opening has a square outline.

In re claims 17 and 18, Takizawa does not disclose the shape of the opening as being a letter or plurality of letters. However, it would have been obvious to modify the structure as disclosed by Takizawa since applicants have presented no explanation that these particular configurations of the dummy areas are significant or are anything more than one of numerous configurations a person of ordinary skill in the art would find obvious for the purpose of providing improved integration of the interconnection layers within the semiconductor device. A change in shape is generally recognizing as being within the level of ordinary skill in the art. *In re Dailey*, 149 USPQ 47 (CCPA 1976).

### Response to Arguments

Applicant's arguments with respect to claims 1, 5, 6, 8, and 21 have been considered but are moot in view of the new ground(s) of rejection.

Applicant's arguments filed with respect to claims 9, 10, 14, 15, 17, and 18 have been fully considered but they are not persuasive. The applicant primarily asserts that the prior art references do not show all of the elements of the claims, specifically that Takizawa does not disclose the amended limitations of the dummy patterns having a

Art Unit: 2815

single square-shaped opening or having a shape of a character. The examiner believes that the references show the limitations in question and thus shows all of the elements of the claims. The limitation of the dummy pattern having a single square-shaped opening does not necessarily mean that there is only one single squared shaped opening. It is true that the dummy pattern of Takizawa illustrated in figure 4(c) has four square shaped openings, but as long as one square shaped opening is shown, then the limitations of the claims are satisfied. Furthermore, Takizawa discloses that the through hole of the dummy pattern may have any configuration (col. 5, lines 48-51) or be in the form of a quadrilateral (col. 5, lines64-67), which would include a square having only one single square shaped opening. The limitation of the dummy pattern space portion having the shape of a character, as recited in claim 14, is also broad. The term "character" is not limited to an alpha-numeric character or graphical character. Therefore, the triangle shaped openings shown in figure 4(b) of Takizawa are triangular shaped characters. Thus, the cited references show all of the elements of the claims and the rejection is proper.

### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Borst et al. (US 6,693,357 B1) and Zagrebelny et al. (US 6,833,622 B1) also show semiconductor devices having dummy patterns.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew E. Warren whose telephone number is (571)

Application/Control Number: 10/766,471 Page 9

Art Unit: 2815

272-1737. The examiner can normally be reached on Mon-Thur and alternating Fri 9:00-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth Parker can be reached on (571) 272-2298. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Matthew E. Warren

September 28, 2007